



www.solenoidvalve.cn

Contact Information

Sales Center in Indonesia



E-mail: benny@solenoidvalve.cn

Lindeteves Trade Center Lt.
GF2 Blok A23 No. 9,
Jl. Hayam Wuruk No. 127,
Jakarta Pusat
Telp. (021) 5698 3081

Sales Center in USA



www.gcvallves.com

America General Agent: GC VALVES
4525 E. Industrial St.
Unit 4C
Simi Valley, CA 93063
Ph. 800-582-4232
Fx. 582-582-0210

Sales Center in France



www.cbm.fr

3 Rue Jules Verne
Parc d' Activités Airspace
33187 LE HAILLAN Cedex
Tél. 33 (0)5 56 08 62 59
Fax. 33 (0)5 56 42 58 15
info@cbm.fr

Sales Center in Poland



www.aplustech.pl

A+ TECH Sp. z o.o.
Ul. Modlinska 17
03-199 Warsaw
Poland
Tel./Fax. +48 22 811 5080
Mobile. +48 602 862 125
+48 694 082 868
E-mail. biuro@aplustech.pl

YUYAO SANLIXIN SOLENOID VALVE CO., LTD.

Add: No 9 Hongqiao Road, Yuyao, Zhejiang, China
Tel: +86 - 574 - 62640822 62636060 62559181
Fax: +86 - 574 - 62636060 P.C.: 315400
Http: // www.solenoidvalve.cn www.sanlixin.com
E-mail: sanlixin@solenoidvalve.cn

NEXT GENERATION SOLENOID VALVE





ZS

Body material: Forged Brass, Stainless Steel
Pressure: 0-8kgf/cm² Orifice: 2.5mm-10mm
Pipe size: 1/8" - 1/2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



ZS

Body material: Forged Brass, SS304
Pressure: 0-20kgf/cm²
Orifice: 10mm Pipe size: 1/4" - 1/2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLP

Body material: Forged Brass/SS304 SS316 Pressure: 0.5-16kgf/cm² Orifice: 13mm-100mm Pipe size: 3/8" - 2"
Flange connection: DN25-100 Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



ZS

Body material: Forged Brass/SS304 Pressure: 0-10kgf/cm²
Orifice: 16mm-50mm 50mm-100mm Pipe size: 3/8" - 2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



ZS

SLP

Body material: Reinforced Nylon(PA6) NO
Pipe size: 1/2" - 1" NO
Pipe size: 3/8" - 1 1/2"
Fluid Media: Water, Hot Water, Air



SLP

Body material: Forged Brass/SS316 Pressure: 0.5-13kgf/cm²
Orifice: 13mm-50mm Pipe size: 3/8" - 2"
Flange connection: DN25-50
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLA

Body material: Forged Brass/SS304 Pressure: 0.5-25kgf/cm²
Orifice: 15mm-50mm Pipe size: 3/8" - 2"
Flange connection: DN25-50
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



ZS

Body material: Forged Brass/SS304 Pressure: 0-5kgf/cm²
Orifice: 4mm-50mm Pipe size: 3/8" - 2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLP

Body material: Forged Brass, Stainless Steel 316
Pressure: 0-13kgf/cm²
Orifice: 3mm-6mm Pipe size: 1/8" - 1/2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLA

Body material: Forged Brass/SS304 Pressure: 0.5-10kgf/cm²
Orifice: 15mm-50mm Pipe size: 3/8" - 2"
Flange connection: DN25-50
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLH

Body material: SS304 Pressure: 0.5-25kgf/cm²
Orifice: 15mm-50mm Pipe size: 3/8" - 2"
Flange connection: DN25-50
Fluid Media: Steam, Heat Conduction Oil Etc.



SLP

Body material: Forged Brass, Stainless Steel 316
Pressure: 0-13kgf/cm²
Orifice: 3mm-4mm Pipe size: 3/8"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLP

Body material: Forged Brass, Stainless Steel 316
Pressure: 0-30kgf/cm² Orifice: 1mm-4mm
Pipe size: 1/8" - 1/4"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



ZCT

Body material: Stainless Steel, Plexiglass
Pressure: 0-13kgf/cm² Orifice: 3mm-15mm
Pipe size: 1/8" - 1"
Fluid Media: Steam, Water, Hot Water, Air, Gas, Oil Etc.



SLG

Body material: Forged Brass, Stainless Steel
Pressure: 0-100kgf/cm²
Orifice: 1mm-25mm Pipe size: 1/8" - 1"
Fluid Media: Water, Hot Water, Air, Oil Etc.



SLP

Body material: Forged Brass, SS316 Pressure: 0.1-16kgf/cm²
Orifice: Brass 10.5mm Stainless Steel 8mm
Pipe size: 1/4", 3/8", 1/2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLP

Body material: Forged Brass, SS316 Pressure: 0-16kgf/cm²
Orifice: Brass 10.5mm Stainless Steel 8mm
Pipe size: 1/4", 3/8", 1/2"
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



SLZ

Body material: Forged Brass, Stainless Steel 316
Pressure: 0-170kgf/cm²
Orifice: 1mm-3mm Pipe size: 1/8" - 3/8"
Fluid Media: Water, Hot Water, Air, Oil Etc.



SLZ

Body material: Forged Brass
Pressure: 1-150kgf/cm²
Orifice: 8mm Pipe size: 1/4" - 3/8"
Fluid Media: Water, Air, CO₂ Etc.



Body material: Forged Brass, Stainless Steel
Pressure: 0-12kgf/cm²
Orifice: 1.5mm-3mm Pipe size: 1/8" -1/4"
Fluid Media: Water, Hot Water, Air, Oil Etc



Body material: Forged Brass, Stainless Steel
Pressure: 0-13kgf/cm²
Orifice: 1.5mm-4mm Pipe size: 1/8" -1/4"
Fluid Media: Water, Hot Water, Air, Oil Etc



Body material: Forged Brass, Cast Brass, Cast Iron
Pressure: 0-6kgf/cm² Orifice: 15mm-150mm
Pipe size: 1/2" -2" Flange connection: DN65-150
Fluid Media: Water, Fluids Etc



Body material: Forged Brass Pressure: 0-5kgf/cm²
Orifice: 3mm-100mm Pipe size: 1/2" -2"
Flange connection: DN40-100
Fluid Media: Coal Gas, Natural Gas, Other Normally Gas Etc



Body material: Plastic Pressure: 0-120PSI
Orifice: 2.5mm-9mm Pipe size: 1/8" -1/4"
Solenoid Valve(Outlet): Tube Insert Type Connection
Fluid Media: Water, Boiling Water



Body material: Forged Brass, Cast Brass/SS304
Pressure: 0-7kgf/cm² Orifice: 2.5mm-50mm
Pipe size: 1/8" -2" Flange connection: DN25-50
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc



Body material: Forged Brass, Pressure: 0.5-16kgf/cm²
Orifice: 13mm-50mm Pipe size: 3/8" -2"
Fluid Media: Water, Air Etc



Body material: Brass, Stainless Steel Pressure: 0-30kgf/cm²
Orifice: 1.2mm-3.0mm Pipe size: 1/8" M5
Fluid Media: Water, Air Etc



Body material: Forged Brass, Cast Brass/SS304
Pressure: 0-5kgf/cm² Orifice: 2.5mm-50mm
Pipe size: 1/8" -2" Flange connection: DN25-50
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc



Body material: Cast Brass, Cast Iron
Pressure: 0.3-8kgf/cm² Orifice: 15mm-150mm
Pipe size: 1/2" -2" Flange connection: DN40-150
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc



Body material: Brass, SS316 Pressure: 0-9kgf/cm²
Orifice: 2mm-25mm Pipe size: 1/8" -1"
Fluid Media: Water, Air Power: 1.4W



Body material: Brass SS316 Pressure: 0-50kgf/cm²
Orifice: 1.5mm-40mm Pipe size: 1/8" -1 1/2"
Flange connection: DN25-40
Fluid Media: Steam, Heat conduction oil, CO₂, Liquid (Gas) Ammonia Etc



Body material: Forged Brass Pressure: 0-8kgf/cm²
Orifice: 15mm-50mm Pipe size: 1/2" -2"
Flange connection: DN20-50
Fluid Media: Steam, Water, Hot Water, Air, Gas, Oil Etc



Body material: Stainless Steel Pressure: 0-8kgf/cm²
Orifice: 15mm-50mm Pipe size: 1/2" -2"
Flange connection: DN20-50
Fluid Media: Steam, Water, Hot Water, Air, Gas, Oil Etc



Body material: Aluminum Alloy Pressure: 0-2000mbar
Orifice: 2mm-45mm Pipe size: 1/4" -2"
Fluid Media: Air, Fuel Gas



Body material: Brass Pressure: 0-500mbar
Orifice: 15, 20, 25mm Pipe size: 1/2", 3/4", 1"
Fluid Media: Fuel Gas



Body material: Cast Brass, Cast Iron
Pressure: 0.5-16kgf/cm² Orifice: 15mm-150mm
Pipe size: 1/2" -2" Flange connection: DN20-150
Fluid Media: Steam, Water, Hot Water, Air, Oil Etc



Body material: PTFE
Pressure: 0-2kgf/cm² Orifice: 2mm-25mm
Fluid Media: Super Clean Medium, Strong Acid, Strong Alkali Etc



Body material: Brass, Aluminum Pressure: 0-13kgf/cm²
Orifice: 1.5mm-10mm Outlet: 1/8" -3/4" Inlet: 1/2"
Fluid Media: Air, Liquid Water Etc



Body material: Brass Pressure: 0-21kgf/cm²
Orifice: 1.2mm-3.0mm Pipe size: Plate-Type



Body material: Brass
Orifice: 1.0mm-2.5mm
Pressure: 0-20kgf/cm²
Pipe size: 1/8" -1/4"



Body material: Brass
Orifice: 1.5mm-2.5mm
Pressure: 0-16kgf/cm²
Pipe size: 1/8" -1/4"



Body material: Stainless Steel
Orifice: 1.0mm-1.5mm
Fluid Media: Water, Hot Water, Air, Oil Etc.
Pressure: 0 ~ 360 kgf/cm²
Pipe size: 1/8"~1/4"



Body material: Aluminum Alloy
Orifice: 9mm~19mm
Fluid Media: Air, Fuel Gas.
Pressure: 0 ~ 600mbar
Pipe size: 1/4"~3/4"



Body material: Brass
Orifice: 12mm 20mm
Pressure: 0.5-16kgf/cm²
Pipe size: 3/8" -3/4"



Body material: Aluminum
Orifice: 20mm-62mm
Fluid Media: Air Etc
Pressure: 0.2-8kgf/cm²
Pipe size: 3/4" -2 1/2"



Body material: Forged Brass, Stainless Steel
Pipe size: 1/8"~1" Flange: DN15~25
Pressure: 0 ~ 10 kgf/cm² 0 ~ 20 kgf/cm²
Orifice: 4.0mm~25mm
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.



Body material: Stainless Steel
Orifice: 10mm-65mm
Fluid Media: Air Etc
Pressure: 0-16kgf/cm²
Pipe size: screw-type welded-type



Body material: Forged Brass
Orifice: 3mm
Fluid Media: Water Etc
Pressure: 0-16kgf/cm²
Pipe size: G1/4" G3/8" G1/2"



Body material: Forged Brass, Stainless Steel
Fluid Media: Water, Hot Water, Air, Oil Etc.
Pipe size: 1/8"~2" Pipe size: Flange: DN25~100



Body material: PA6
Orifice: Φ15mm~25mm
Fluid Media: Water, Air.
Pressure: 0 ~ 8 kgf/cm²
Pipe size: 1/2"~1"



Body material: PA6
Orifice: 13mm ~ 40mm
Fluid Media: Water, Hot Water, Air, Oil Etc.
Pressure: 0.5 ~ 10 kgf/cm²
Pipe size: 3/8"~1-1/2"

SM
Series



Body material: Forged Brass, SS
Pipe size: 1/8"~2" Pressure: 0 ~ 55 kgf/cm² 0 ~ 10 kgf/cm²
Flange: DN15~25 Orifice: 4mm~7.5mm 16mm~50mm
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

SMS



Body material: Forged Brass, stainless steel
Pressure: 0 ~ 30 kgf/cm² Orifice: 2.0mm~6.0mm
Pipe size: 1/8"~1/2"
Fluid Media: Water, Hot Water, Air, Oil Etc.



Body material: Forged Brass, Stainless Steel
Pressure: 0 ~ 170 kgf/cm² Orifice: 1.5mm~25mm
Pipe size: 1/8"~1"
Fluid Media: Water, Hot Water, Air, Oil Etc.

SLX[®] SERIES ELECTRIC VALVE



SLX[®] SERIES FLOWMETER

